

70' Alaskan 70' Raised Pilothouse



Verkäuferinformationen

Name: Alaskan Yachts
First Name: Alaskan Yachts
Website: www.alaskanyachts.com

Anzeigendetails

Reference Number: RF186625

Allgemein

Titel: 70' Alaskan 70' Raised
Pilothouse
Zustand: Gebraucht
: Alaskan 70' Raised
Pilothouse



Zusätzliche Information

Beschreibung:

The showboat 2012
Alaskan 70' is docked
Fort Lauderdale
She will be on display at
the Palm Beach Boat
Show

70' Alaskan 70' Raised
Pilothouse
â€œYear: 2013
â€œCurrent Price: US\$
2,950,000
â€œLocated in Fort
Lauderdale, FL
â€œHull Material:
Fiberglass
â€œEngine/Fuel Type:
Twin diesel

â€¢YW#
77429-2279878

Additional Specs,
Equipment and
Information:

Boat Name
(New)
Specs
Builder: Alaskan (New
Boat Specs)
Dimensions
LOA: 70 ft 0 in
Beam: 19 ft 6 in
Maximum Draft: 5 ft 0 in
Displacement: 140000
lbs
Engines
Engine Brand: Caterpillar
Engine(s) Total Power:
2010 HP
Engine Model: C-18
Accert
Cruising Speed: 10 mph
Maximum Speed: 20
mph
Year Built: 2011
Tanks
Fresh Water Tanks: (600
Gallons)
Fuel Tanks: (2400
Gallons)
Holding Tanks: (300
Gallons)
Electronics
Depthsounder
Log-speedometer
Wind speed and direction
Repeater(s)
Navigation center
Plotter
Autopilot
Compass
GPS

VHF
Radar
Radar Detector
Computer
TV set
VCR
DVD player
Radio
CD player
Cockpit speakers
Rigging
Steering wheel
Hydraulic winch
Inside Equipment
Stern thruster
Bow thruster
Electric bilge pump
Manual bilge pump
Battery charger
Air compressor
Air conditioning
Heating
Hot water
Fresh water maker
Sea water pump
Dishwasher
Washing machine
Oven
Microwave oven
Marine head
Electric head
Refrigerator
Deep freezer
Electrical Equipment
Shore power inlet
Generator
Inverter
Outside Equipment/Extras
Teak sidedecks
Swimming ladder
Davits
Hydraulic windlass

Dimensions
Displacement: 140000

Engines

Total Power: 1050

Tanks

Fuel: 2400

Fresh Water: 600

Holding: 300

Additional Information

REMARKS Different speeds will be achieved with alternate engine packages. * Boat deck drain system to waterline * Cored 1 1/4" main bulkheads padded at hull, bonded as per schedule * Four full length longitudinal engine stringers and athwartship reinforcing stringers (as per design) of foam cored laminated fiberglass * Hinged radar arch * Hull to deck connection mechanically fastened and bonded, as per schedule * Laminated vacuum bagged fiberglass reinforced with PVC rigid foam core in all hull and deck areas above the waterline and solid hand lay-up below the waterline * Molded FRP interior and exterior window frames, reinforced windlass anchor platform, per plans * Multiple Laminations at chine, keel and running hardware locations * Underwater exhaust with bypass * Uni-directional and bi-directional

laminates at engine stringers and hull door openings * Vinylester barrier hull laminate for osmosis protection * Water cooled exhaust system Equipment * 5" Ritchie compasses:one on flybridge, and one in pilothouse * AC and DC lighting throughout interior, per plan with distribution panels at lower station, 5 point AC switches, 24 volt * Air conditioning deflectors/covers at pilothouse for vents * Bottom paint: two (2) coats of Micron CSC; five (5) coats Gelshield-2000 * Condensation groove on all windows * Courtesy lights exterior and interior * Cruiseair air conditioning 230 volt AC/60 hz reverse cycle with SMX controls and remote compressors, five zone (5) or chilled water option * Electronic Glendinning controls at two stations * Flybridge table in fiberglass, hi-lo * Hynautic hydraulic steering * Khalenberg double air horn * Manship stainless steel port lights with screens, per plan * Multiple athwarship stringers * Pilothouse table in teak, hi-lo with folding leaf, stainless steel pedestal * Spray rails * Stainless steel destroyer

wheel on flybridge *

Pompanette Platinum series helm seat: reclining backrest and adjustable armrests, stainless steel hardware, Hi-Lo adjustable pedestal with footrest, upholstered in "Naugahyde", located on Flybridge *

Pompanette Platinum series helm seat: reclining backrest and adjustable armrests, stainless steel hardware, Hi-Lo adjustable pedestal with footrest, upholstered in "Dura Touch", located in pilothouse *

Teak and stainless steel destroyer wheel in pilothouse *

Telephone stations, pre-wired, seven (7) *

Telephone/TV two inlets phone/cable TV inlet connectors fore and aft *

Tempered glass, front windows are 3/8" and side windows are 1/4" tinted *

Tinted flybridge Venturi wind screen with stainless steel frame *

Two-arm parallel windshield wipers with wash system, three (3) Deck * 1 1/2 stainless steel handrails with welded joints at forward deck and boat deck *

24 volt deck dome lights *

Aft deck spacious enough for a wet bar, sofa and hi/lo table. There is plenty of room for extra deck furniture as well. Molded flybridge access steps. *

Anchor chain and anchor

rope storage in divided
chain locker * Aqua
navigatoin lights (white
finish) * Bilge areas
finished smooth with
white paint * Bimini top
with stainless steel frame
(hard top optional) * Bow
and stern flag staffs and
sockets * Breast plate"
protecting plate on bow,
stainless steel * Cockpit
shower in FRP cabinet *
Conduit from mast to
pilothouse for radar and
antena * "Exalto" two
speed wiper system with
F/W wash * Exterior
safety lights * Fiberglass
cap rail and trim (no
exterior varnish) *
Flybridge and boat deck
drained to waterline *
Flybridge cabinet for
optional equipment
(BBQ, wet bar, etc.) *
Flybridge seating with
storage beneath, teak
grates and vinyl or
sunbrella upholstered
cushions * Formed
fiberglass fiberglass
flybridge and seating area
* Freeman watertight
doors for transom and
pilothouse * fresh water
wash down; fore, aft,
engine room and
flybridge * Hawse
hole/cocks (8) * Isolation
transformers * Sailtrack
adjustable fender holders
* Light and Pennant mast
* Lockers to port and
starboard for fowl

weather gear or deck
furniture * Manship
stainless steel port lights
with screens * Manship
stainless steel / acrylic
deck hatches * maxwell
4000 single capstan
windlass, dual directional,
two station, vertical *
Molded fiberglass aft
deck seat and cushions,
head room in crew area
uses the space under this
seat * Molded fiberglass
exterior window and door
frames * Molded upper
and lower rub rails capped
with 1 1/4" stainless steel
trim rail * Multiple
athwartship stringers, as
per plan * 2000 lb. fully
hydraulic davit, hardwired
(240 volt AC) 10 1/2'
boom * One 110 lb. CQR
type anchor and 300'-1/2"
Hi test chain * one 12"
anchor cleat * one
Khalenburg triple air horn
with compressor * one
stainless steel destroyer
wheel on flybridge *
Single anchor roller chock
* Spreader lighting on
flybridge and swim deck
* Swim ladder (built in) *
Tempered window glass,
tinted * Tender;
Novurania 15' hard
bottom inflatable with
standard equipment *
Tinted flybridge wind
screen with stainless steel
frame * Trash receptacle
built into flybridge
seating * Transom gate

doors and port/starboard hull doors * two galvanic isolators for shore power inlets * Two Pompanette Platinum series helm seats: reclining backrest with adjustable armrests, stainless steel hardware, adjustable Hi-Lo pedestal, footrest model, upholstered in Dura Touch, located in the pilothouse * Two Pompanette Platinum series helm seats: reclining backrest with adjustable armrests, stainless steel hardware, adjustable Hi-Lo pedestal, footrest model, upholstered in Naugahyde, located on the flybridge * Two swim platform pop-up cleats * White non-skid decks Engine Room * 80 amp Sentry charger for engine and house batteries, 24 volt * 40 amp Sentry charger for generator and electronics, 12 volt * 60 amp C-10 alternators * 1000 GPD modular stainless steel water maker * AC and DC engine room lighting eight and four * Accessible clean outs on all tanks * Baffled engine air intakes to control water induction * Chilled water air conditioning - 96,000 BTU's * Complete engine instrumentation at both stations, per plan *

Delta-fan for engine room, four blowers, two intake and two exhaust *

Dockside water pressure system with regulator *

Dripless shaft seals *

Engine battery parallel system * Engine beds of custom formed stainless steel * Engine driven emergency bilge pump off engine * Engine room bulkheads and ceiling are sound shielded with multiple layers of high density foam and lead *

Fiberglass mufflers for engines and generators *

Fire suppression system *

Five Rule 3500 bilge pumps with automatic switches * Flooring is synthetic coin dot pattern

* Four 8D 24 volt starting batteries with secured box

* Four fuel tanks, per plan at 2,400 US gallons (additional tankage available) * FRP 300 gallon holding tank system beneath sole with macerator and deck pump outs * Fuel tanks are shielded with sound detaining insulation *

Fuel transfer system with manifold and polishing filtration * Full flow valves throughout *

Gauge system for fuel and water * Glendinning electronic controls at three stations or wireless

* Groco Senior Pressure Max system with filter

and accumulator tank
and heavy duty fresh
water pump * Head
ventilation blowers *
High water alarm with
bilge pump switch - 5
zone * New and used oil
storage tanks * Oil change
pump with manifold *
One stainless steel water
tank, 600 gallons *
Quality bronze propellers
sized for HP * Quality
stainless steel propeller
shaft struts with cutlass
bearings * Sealand
macerator discharge pump
* Sealand monitor panel *
Shaft grounding brush *
Shut off valve at all tank
supply fittings *
Hydraulic Bow & Stern
Thrusters * Stainless steel
fuel manifold system
(supply and return) * Sea
chest x(2) Interior
Finishes * All cabinetry is
teak with hand rubbed
satin finish * All wall
surfaces/bulkheads are
teak veneer or wallpaper *
Cabin soles teak and holly
in wheelhouse, galley and
heads * Countertops,
corian or standard granite
countertops at galley and
heads (same color
throughout) * Covers for
interior switches and
outlets are custom teak *
Fixtures/faucets, all
Grohe including galley,
heads and showers *
Foam cushions
upholstered in Sunbrella

fabric * Mirrored heads *
Hanging lockers with
automatic lighting, cedar
interior * Interior door
hardware brushed
stainless steel: cabinets
are chrome hinges with
chrome or brass
push/pulls; stainless steel
daws, four (4) on
pilothouse doors *
Mirrors are teak framed *
Red lights at pilothouse
with dimmer switch, two
(2) * Refrigerator locks,
hinged L-locks, two (2)
stainless steel * Shelves
painted in lazarette *
Showers, FRP surface *
Sinks: galley-polar,
double: heads, polar
oval-stainless steel *
Vinyl headliner
throughout (except heads)
with teak framing as on
65' * Day head Typical
Electronics Package This
package provides:
dual-station
GPS/chartplotter with
radar (6kw 4-6ft open
array); backup GPS/chart
plotter/echosounder
system; 15 inch monitor;
dual-station VHF (DSC)
radio with intercom,
foghorn and hailer;
dual-station depth/data
displays; dual-station
autopilot control (also
functions as data
repeater); transducers
include two depth
transducers and wind
masthead unit; Simrad

data card for saving all
CX54 data. * CX54
15-inch
GPS/chartplotter/radar
display at lower helm *
6K48A radar antenna,
6kw 4-6ft open array *
15-meter radar cable (10
m is standard length) *
DS44-CX 10-inch second
station for CX44 at bridge
* Data card * CX33-E 6
inch GPS/chartplotter/ech
osounder at lower helm *
Monitor, 15-inch LCD
(24-volt) * RS86:F VHF
radio system (intercom,
hailer, foghorn, can have
up to 4 stations) * 87AKH
second station for VHF,
87 handset style * IS15
Multi data display head
set for Depth (large digits
only) lower helm * AT15
Active T connector
(SimNet) * IS15 Multi
data display head set for
Depth (large digits only)
bridge * AT15 Active T
connector (SimNet) *
AP25 Autopilot System
(AP2504=AP25,AC20,
RC36, RF300, RPU80) *
AP25 second station
display for bridge * IS12
TW wind transducer *
B17 Smart transducer,
235kHz, primary depth
data source * B744V
transducer, 50/200 kHz,
speed/depth/temp for
CX33-E * Hi-speed
fairing block for B744V
transducer Because of rapid
changes in electronics,

packages and equipment may vary depending on buyers requirements.

Amounts over the allowance will be paid by buyer at time of ordering.

ALLOWANCE:

\$43,000.00 Entertainment

Package Alaskan Yachts

will prewire boat to specified package. It is the owners responsibility to install and pay for entertainment equipment at the time of ordering.

Appliances * Standard G.E. Profile Performance

Series: (wood doors package) cook top, glass top, electric, dishwasher, microwave, convection oven, refrigerator/freezer / freezer with in-door ice and water, side-by-side, trash compactor.

Kitchenaid clear ice, ice makers x2 * Frigidaire; front loading washer and dryer (choice of black, white or custom wood panels) * Wine Cooler

Drawings supplied in the spec may show optional items. Crew quarters

Crew Quarters * Two single berths in aft stateroom with head, shower, sink, refrigerator, microwave and stereo *

Private access * Large storage room that could be converted into a lounge area Disclaimer "Speeds and range will vary depending on load

capacity and seas."

Standort

Stadt: Fort Lauderdale, FL